



*Diesel*



*Chemical Solutions to Keep You Moving™*

[www.crcindustries.com](http://www.crcindustries.com)



# product index

1-TANK Power Renew® .....	4	GL-4 Multi-Purpose Gear Oils .....	14	Silicone Lubricant .....	7
3-36® Multi-Purpose Lubricant & Corrosion Inhibitor .....	6	GL-5 PLUS New Generation™ Gear Oils .....	14	Soluble Oil .....	15
Air Brake Anti-Freeze & Conditioner .....	5	Glass & Dash Cleaner .....	17	Sta-Plex™ Extreme Pressure Premium Red Grease .....	2,12
Air Tool Oil .....	15	Grease .....	12-13	Starting Fluid .....	10,16
Appearance Products .....	17	Grease Gun .....	13	Super White™ Multi-Purpose Grease .....	12
Bar & Chain Lubricant .....	15	Hand Cleaners .....	17	SYN-GO® Multi-Grade Full Synthetic Gear Oils .....	14
Battery Cleaner with Acid Indicator .....	9	Heavy Duty Degreaser .....	6	Synthetic Brake & Caliper Grease .....	2,12
Battery Maintenance Twin Pack .....	9	Heavy Duty Drum Brake Grease .....	2,12	Synthetic Gear Oil .....	14
Battery Terminal Protector .....	9,11,16	Heavy Duty Silicone Lubricant .....	7	Tannery® Leather Cleaner/Conditioner .....	17
Belt Conditioner .....	11	Hi-Temp Disc Brake Wheel Bearing Grease .....	12	Throttle Body & Air Intake Cleaner .....	8,10
Bio-Con™ Sludge Sediment Remover .....	5	Honing & Cutting Oil .....	15	TYME® 1 Carburetor & Cold Parts Cleaner .....	8,10
Boat Trailer and 4X4 Grease .....	2,12	Hydraulic & Jack Oil .....	15	VisiClear™ Display Cleaner .....	9,17
Brake Maintenance Products .....	2-3	HydroForce® Cleaners .....	17	Wasp & Hornet Killer PLUS™ .....	16
Brakleen® Brake Parts Cleaner .....	2	Ice-Off® Spray De-Icer .....	16	White Lithium Grease .....	7
Cable Clean® Degreaser High Voltage Splice Cleaner .....	6	Inner Slide Lube .....	7,16	Wire Dryer .....	9,11
Caliper Grease .....	2,12	Insect Control .....	16	Zinc-It® Instant Cold Galvanize .....	11,16
Carburetor Cleaner .....	8,10	Instant Cold Galvanize .....	11,16		
Cetane Boost .....	5	Jump Start® Starting Fluid with Lubricity .....	10,16		
Chain Lube .....	7	Lanolin Cream Hand Cleaner .....	17		
Chlor-Free® Degreaser .....	6	Lectra-Clean® Heavy Duty Electrical Parts Degreaser .....	6		
Citrus Degreaser .....	6	Lectra-Motive® Electric Parts Cleaner .....	8-9		
Clean-R-Carb™ Carburetor Cleaner .....	8,10	Lithium Grease .....	7		
Complete Fuel System Cleaner .....	4	Long Handle Dipping Basket .....	8		
Compressor Oil .....	15	Lubricants .....	7		
Cutting Oils & Shop Supplies .....	15	Magic Oil™ Lock Lube & De-Icer .....	16		
Degreaser, QC-82™ Pro-Strength .....	8	Marine & Boat Trailer Wheel Bearing Grease .....	2,12		
De-Squeak™ Brake Conditioning Treatment .....	2	Mass Air Flow Sensor Cleaner .....	8-9,10		
Di-Electric Grease .....	9	Mechanix Orange™ Citrus Hand Cleaner with Pumice .....	17		
Diesel & Heavy Truck Maintenance Products .....	5	Minute Mend™ Epoxy Putty .....	16		
Diesel 1-Tank Power Renew® .....	4	Moly-Graph® Extreme Pressure Grease .....	12		
Diesel Additives .....	4-5	Motor Treatment .....	10		
Diesel Cold Flow™ Anti-Gel with Lubricity .....	5	New Generation™ Wheel Bearing Grease .....	12		
Diesel Dry™ Diesel Fuel Water Remover .....	5	Octane Boost & Lead Substitute .....	5		
Diesel Fuel Injector Cleaner .....	5	Parts Washer Solvent .....	8		
Diesel Fuel Injector Cleaner with Anti-Gel .....	5	Penetrants .....	7		
Disc Brake Quiet .....	2	Power Lube® Multi-Purpose Lubricant .....	7,11		
Dry Lube .....	6	Power Steering Fluid .....	15		
Duster™ Moisture-Free Dust & Lint Remover .....	9,17	Pro-Strength Degreaser, QC-82™ .....	5		
Electronic Cleaner .....	9	Pumice Hand Cleaner with Lemon Scent .....	17		
Engine Assembly Lube & Anti-Seize .....	12,15	QC-82™ Pro-Strength Degreaser .....	8		
Engine Degreaser .....	8	QD® Electronic Cleaner .....	9		
Engine Degreaser, Citrus .....	8	QD® Contact Cleaner .....	6		
Engine Degreaser, Gel .....	8	Quick Clean™ Safety Solvent & Degreaser .....	6		
Fluid Oil Pump .....	14	Quick Flow™ Emergency Fuel-Gel Relief .....	5		
Farm & Fleet Products .....	6	Red Grease .....	6		
Freeze-Off® Super Penetrant .....	7	Red Grease #2 .....	2,12		
Fuel Therapy® Diesel Additives .....	5	RTV Cartridge Gun .....	16		
Gasket Compound .....	16	RTV Silicone Adhesive & Sealant .....	16		
Gasket Remover .....	16	Rubberized Undercoating .....	11		
Gear Oils .....	14	Rust Converter .....	11		
General Purpose Lithium Grease .....	12	Silaramic® Brake System Grease .....	2,12		

## CRC Industries, Inc.

885 Louis Drive • Warminster, PA 18974

Customer Service: 800-272-8963

Fax: 800-272-4560

Technical Assistance: 800-521-3168

SDS Faxback: 215-442-6260



CRC®, K&W®, Sta-Lube®, Marykate® and all products denoted with ® and ™ are trademarks of CRC Industries, Inc.

©2015 CRC Industries, Inc. Printed in USA

HD0215CAT-10M



crcindustries.com • 800-272-8963

facebook.com/crcauto • twitter.com/crcauto • youtube.com/crcauto • instagram.com/crcauto • plus.google.com

Global Headquarters  
Warminster, PA USA



**Then** CRC began in a Pennsylvania garage in 1958 as *Corrosion Reaction Consultants* with a single product: CRC Corrosion Inhibitor, a multi-purpose lubricant.

**Now** Today, CRC is a global supplier of chemical specialty products, manufacturing over 1,300 items and developing specialized formulas to meet the unique needs of the Automotive, Marine, Heavy Duty, Hardware, Electrical, Industrial and Aviation markets. CRC serves customers around the world with manufacturing and distribution throughout Europe, Central and South America and Asia-Pacific marketing areas. CRC operates 26 facilities that produce more than 70 million cans of aerosol products each year.

## Committed to Quality

CRC is proud to be ISO (International Organization for Standardization) certified since 1996. The benefits of achieving and maintaining ISO 9001:2008 certification reach our customers through the consistent conformity of our products and services, assuring superior quality, environmental responsibility, safety and reliability.

The Result: Products you can depend on from a company who has earned your trust.





# brake system maintenance



## DISC BRAKE QUIET

Forms a water resistant, high temperature film that instantly absorbs vibrations and quiets disc brake noise. For use on the back of non-shimmed disc pads.


05016	4 fl. oz. tube	12/cs
05017	9 oz. aerosol	12/cs▲
05115	.5 fl. oz. carded	12/cs



## DE-SQUEAK™ BRAKE CONDITIONING TREATMENT ▲

Spray on rotors and drums on every brake job to eliminate and prevent brake noise. Metallic formula fills grooves in friction surfaces for smoother braking.

05080	11.25 oz.	6/cs
-------	-----------	------



## SILARAMIC® BRAKE SYSTEM GREASE

Protects all moving caliper hardware, mating surfaces and backing plates with the latest rust, oxidation and anti-wear additives to provide lasting protection against friction, wear and corrosion. Ideal for high performance or racing applications.

05361	5 oz.	12/cs
05363	9 oz. tub	12/cs



## SYNTHETIC BRAKE & CALIPER GREASE

Synthetic grease prevents caliper binding, vibration and corrosion. Contains molybdenum, PTFE and graphite for an extreme temperature range of -40°F to 400°F. Use on every brake job!

05351	2.5 oz. tube	6/cs
05352	1/3 oz. carded packets	12/cs
05353	12 oz. tub	12/cs
05359	8 fl. oz. bottle	6/cs
SL3301	2.5 oz. tube	6/cs
SL3302	1/3 oz. carded packets	12/cs
SL3303	12 oz. tub	12/cs



## STA-PLEX™ EXTREME PRESSURE PREMIUM RED GREASE

A superior multi-purpose certified lithium complex based NLGI-2 GC-LB grease. Contains extreme pressure, anti-wear, and anti-oxidation additives. Ideal for high temperature and performance applications. Drop point: 500°F.

SL3190	14 oz. cartridge	10/cs
SL3191	14 oz. can	12/cs
SL3195	35 lb. pail	1
SL3197	120 lb. keg	1



## RED GREASE #2

Smooth, tacky, red lithium complex grease fortified with rust and oxidation inhibitors. Good water resistance, won't wash out. Great for sliding surfaces and open gears and for lubricating moving parts in mowers, reapers, water pumps, electric motors, ball and roller bearings, assembly plants, and truck applications.

SL3400	14 oz. cartridge	10/cs
--------	------------------	-------



## HEAVY-DUTY DRUM BRAKE WHEEL BEARING GREASE

For drum brakes and slow speed bearings. NLGI-2.5 sodium base. Ideal for use where heavy loads and slow speeds are prevalent.

Drop point: 360°F.


SL3131	14 oz. can	12/cs
SL3135	35 lb. pail	1
SL3136	7 lb. tub	1



## MARINE GREASE BOAT TRAILER AND 4X4 GREASE

Excellent water resistance. NLGI-2 aluminum complex base. Great for 4WD and boat trailer wheel bearings. Drop point: 500°F.

SL3120	14 oz. cartridge	10/cs
SL3121	14 oz. can	12/cs
SL3125	35 lb. pail	1
SL3127	120 lb. keg	1
SL3184	3 oz./3 per card	6/cs



See why CRC is the #1 choice for brake parts cleaners!  
Full product description and step by step instructions  
on how to apply CRC Brakleen® Brake Parts Cleaner.

▲ This product is very flammable. Do not apply while equipment is energized.

# brake system maintenance



**CRC**

## BRÄKLEEN® NON-FLAMMABLE BRAKE PARTS CLEANER

The original BRAKLEEN – our strongest formula! Chlorinated formula quickly removes brake dust, brake fluid, grease and other contaminants from all types of brake systems including ABS. Cleans fast and dries faster!

05089	19 oz.	12/cs
05089T	19 oz.	12/cs
05090	1 gallon	4/cs
05091	5 gallon	1
05093	55 gallon	1



**CRC**

## BRÄKLEEN® NON-CHLORINATED BRAKE PARTS CLEANER ▲ 50-State Formula with Power Jet™ Technology

The strongest 50-state formula available. Power Jet™ technology provides a more powerful spray which blasts away brake dust, brake fluid, grease and oil while using less product and taking less time to clean.

05050	14 oz.	12/cs
05051	1 gallon	4/cs
05052	5 gallon	1
05053	55 gallon	1
05054	14 oz.	12/cs



**CRC**

## BRÄKLEEN® NON-CHLORINATED BRAKE PARTS CLEANER ▲

Use where compliance calls for a chlorine-free product.

05088	14 oz.	12/cs
05085	1 gallon	4/cs
05087	55 gallon	1
05186	5 gallon	1



**CRC**

## BRÄKLEEN® NON-CHLORINATED BRAKE PARTS CLEANER ▲

Use where compliance calls for a chlorine-free product.

05084	14 oz.	12/cs
05086	5 gallon	1



**CRC**

## BRÄKLEEN® NON-CHLORINATED ULTRA LOW VOC BRAKE PARTS CLEANER ▲

Formulated for SCAQMD Rule 1171 (South Coast California).

05151	14 oz.	12/cs
-------	--------	-------



Questions about product compliance?

Visit [www.crcindustries.com](http://www.crcindustries.com) or call 800-307-8971 for the most current product compliance info by state.

As one of the world's leading manufacturers of chemical maintenance products, CRC has made a commitment to provide the best solutions for our customers. We can help you meet the challenges of today's highly regulated environment. CRC diligently monitors all regulatory developments regarding VOCs, chlorinated solvents, and other important issues affecting our products and our customers.

▲ This product is very flammable. Do not apply while equipment is energized.



# CRC Diesel 1-TANK POWER RENEW<sup>®</sup>

COMPLETE FUEL SYSTEM CLEANUP



**PROVEN RESULTS after the FIRST use**  
Robust one-tank cleanup in 100% of tested high-mileage vehicles

CRC 1-TANK POWER RENEW for Diesel is a scientifically advanced formula, concentrated to deliver a powerful SHOCK to your dirty fuel system. Made with maximum potency chemistry it's the most powerful diesel system cleaner available.


- **100% Power Restoration – PROVEN!**
- **100% Deposit Removal – PROVEN!**
- **99% Injector Flow Improvement – PROVEN!**
- Cleans **INSIDE** the injectors and prevents internal diesel injector deposits (IDID)
- Exceeds industry standards XUD-9 and new CEC DW10 engine tests for deposit control
- Frees sticky injectors frequently found in modern common rail systems (CRDI)
- 15 fl oz treats up to 30 gals; 32 fl oz treats up to 125 gals

05816  
05832


15 fl. oz.  
32 fl. oz.

6/cs  
12/cs

## DW10 TEST - TOTAL POWER RESTORATION



## PEUGEOT XUD-9 TEST - INJECTOR FLOW RESTORATION



# diesel & heavy truck maintenance

**CRC**

## FUEL THERAPY® DIESEL INJECTOR CLEANER PLUS

Cleans injectors, disperses water, conditions & stabilizes fuel and lubricates fuel system for increased engine life. Increases power and fuel economy and reduces emissions. ULSD Approved. OK for Biodiesel fuels.

05212	12 fl. oz.	12/cs
05232	30 fl. oz.	12/cs
05228	1 gallon	4/cs
05225	5 gallon	1
05255	55 gallon*	1



**CRC**

## FUEL THERAPY® DIESEL INJECTOR CLEANER WITH ANTI-GEL

Prevents diesel fuel from gelling in cold temperatures. Lowers pour point by as much as 35°F. Cleans injectors and helps restore spray pattern for more efficient combustion. ULSD Approved. OK for Biodiesel fuels.

05412	12 fl. oz.	12/cs
05432	30 fl. oz.	12/cs
05428	1 gallon	4/cs
05425	5 gallon	1
05455	55 gallon	1



**CRC**

## COLD FLOW™ DIESEL ANTI-GEL WITH LUBRICITY

Prevents fuel from gelling by lowering pour point by as much as 40°F. Disperses water and contains lubricity additives for low sulfur fuels. ULSD Approved. OK for Biodiesel fuels.

05612	12 fl. oz.	12/cs
05632	30 fl. oz.	12/cs
05655	55 gallon	1



Product	SKU	Net Contents	For Preventive Maintenance Treats:	For Pre-Existing Conditions Treats:
CRC Fuel Therapy® Fuel Injector Cleaner Plus	05212	12 fl. oz.	35 gallons	8 gallons
	05232	30 fl. oz.	125 gallons	50 gallons
	05228	1 gallon	500 gallons	200 gallons
	05225	5 gallon	2,500 gallons	1,000 gallons
	05255	55 gallon	27,500 gallons	11,000 gallons
CRC Fuel Therapy® Fuel Injector Cleaner with Anti-Gel	05412	12 fl. oz.	35 gallons	8 gallons
	05432	30 fl. oz.	125 gallons	50 gallons
	05428	1 gallon	500 gallons	200 gallons
	05425	5 gallon	2,500 gallons	1,000 gallons
	05455	55 gallon	27,500 gallons	11,000 gallons
CRC Cold Flow™ Anti-Gel with Lubricity	05612	12 fl. oz.	125 gallons	75 gallons
	05632	30 fl. oz.	500 gallons	125 gallons
	05655	55 gallon	55,000 gallons	27,500 gallons

**CRC**

## QUICK FLOW™ EMERGENCY DIESEL-GEL RELIEF

Reliquefies gelled fuel in minutes! Totally disperses water and lowers pour point by as much as 35°F. Prevents future gelling since it contains anti-gel. ULSD Approved. OK for Biodiesel fuels.

05911	30 fl. oz.	12/cs
05928	1 gallon	4/cs
05925	5 gallon	1
05955	55 gallon*	1



**CRC**

## BIO-CON™ SLUDGE SEDIMENT REMOVER

Removes sludge sediment caused by bacteria from diesel fuel and furnace oils and improves fuel stability in storage.

05557	12 fl. oz.	12/cs
05558	5 gallon	1



**CRC**

## DIESEL DRY™ DIESEL WATER REMOVER

Eliminates water and protects engine against damage caused by water build-up. Minimizes smoke and improves fuel economy.

05670	12 fl. oz.	12/cs
-------	------------	-------



**CRC**

## AIR BRAKE ANTI-FREEZE & CONDITIONER

Eliminates moisture accumulation and prevents air brake systems from icing up. Protects against corrosion in metal brake lines.

05532	32 fl. oz.	12/cs
05528	1 gallon	4/cs
05555	55 gallon	1



**CRC**

## CETANE BOOST

Shortens the ignition lag time of the fuel charge, allowing diesel fuel to ignite earlier in the cycle. More complete combustion results in better performance and drivability. Contains 100% additive with no solvents. Boosts cetane up to 7 numbers for faster acceleration and MAX POWER!

05916	16 fl. oz.	12/cs
-------	------------	-------



\*Made to order, call for information.



# farm & fleet products

## DRY GRAPHITE LUBE▲

A dry film lubricant is ideal for applications where petroleum products must be avoided. Bonds instantly to metal, rubber and plastic and most substrates to form a dirt-repelling barrier that lubricates and protects the surface from pressure and friction. Withstands extreme temperatures pressures, water and chemical attack. Lowers friction and galling, resists dirt and dust build-up. Dries rapidly at room temperature. Effective up to 850°F constant and 1000°F intermittent. Excellent conductivity.

03094 10 oz. 12/cs

## DRY MOLY LUBE▲

Specially formulated dry film lubricant incorporating a concentrated dispersion of molybdenum disulfide (MoS<sub>2</sub>). Lowers friction, prevents galling and helps to reduce torque and energy consumption. Resists high temperatures, high pressure, water and chemical attack. Fast drying film resists dirt and dust build-up. Harmless to most plastics, rubbers and metals. Non-conductive.

03084 11 oz. 12/cs

## CABLE CLEAN® DEGREASER HIGH VOLTAGE SPLICE CLEANER

- Helps prevent current leakage, excessive resistance, reduced performance, and arcing at splice and termination junctions
- No flash point
- Evaporates rapidly, leaves no residue
- Non-chlorinated, non-conductive, and non-staining

NSF K2  
02064 20 oz. 12/cs

## 3-36® MULTI-PURPOSE LUBRICANT AND CORROSION INHIBITOR▲

- Lubricates, penetrates and loosens corrosion
- Prevents corrosion by displacing moisture
- Leaves a thin, long lasting film
- Penetrates through corrosion to loosen frozen parts
- Lubricates without leaving a sticky residue

03005 16 oz. 12/cs

## RED GREASE▲

Heavy-duty, NLGI Grade 2 aluminum complex based grease provides superior lubrication and withstands high temperature and pressure. Penetrates deep to form a tenacious, long lasting thick film. Waterproof and resistant to acids, alkalis, salt, oxidation, weather and steam. Can extend the operating service life of equipment and reduce wear, galling and scoring. Withstands high temperatures (up to 500°F) and pressure (45 lbs. Timken OK load). Waterproofs and prevents corrosion. Red color provides easy visual inspection.

03079 11 oz. 12/cs

## CITRUS DEGREASER▲

- Heavy duty degreaser that is extremely effective for dissolving and removing grease, oil, lubricants and contaminants
- Controlled evaporation, leaves no residue
- Non-corrosive, non-abrasive, and non-staining
- Pleasant citrus smell
- High dielectric strength of 58,600 volts

NSF C1  
14170 20 oz. 12/cs

## LECTRA CLEAN® HEAVY DUTY ELECTRICAL PARTS DEGREASER

- Quickly and effectively removes grease, oil, tar, dirt, grime, corrosion, sludge from energized electrical equipment to increase operating efficiency
- No flash or fire point
- Non-corrosive and non-staining
- High dielectric strength of 37,500 volts
- Use caution on some plastics
- Fast evaporation and leaves no residue
- Contains no Class I or Class II Ozone Depleting Chemicals

02018 20 oz. 12/cs

## CHLOR-FREE® DEGREASER NON-CHLORINATED DEGREASER▲

- Non-chlorinated degreasing solvent
- Penetrates quickly to remove oil, grease and other contaminants
- Fast drying to help minimize downtime
- Leaves no residue
- Non-conductive, non-corrosive and non-staining
- Excellent for use where low flashpoint solvents are okay
- Restricted from sale in CA & parts of UT.

NSF K2  
03185 14 oz. 12/cs

## HEAVY DUTY DEGREASER

- Quickly and effectively removes grease, oil, tar, dirt, grime, corrosion, sludge and other stubborn substances
- Evaporates quickly and leaves no residue
- No flash point
- Non-conductive, non-corrosive and non-staining
- High dielectric strength of 36,800 volts
- High cleaning strength of 117 KB
- Restricted from sale in some states. Visit [www.crcindustries.com](http://www.crcindustries.com) for VOC information

NSF K1  
03095 19 oz. 12/cs

## QUICK CLEAN™ SAFETY SOLVENT & DEGREASER

- Effective heavy duty degreaser provides strong degreasing action
- Non-flammable
- Fast evaporation, leaves no residue
- Non-staining, non-corrosive and non-conductive
- Restricted from sale in some states. Visit [www.crcindustries.com](http://www.crcindustries.com) for VOC information

NSF K1  
03180 19 oz. 12/cs

## QD® CONTACT CLEANER▲

- Petroleum distillate and alcohol blended precision cleaner suitable for cleaning sensitive electronics
- Plastic safe
- Evaporates quickly and leaves no residue
- Effectively removes soil and other contaminants from electronic components
- Ideal for applications where lower flashpoint solvents can be used
- Contains no Class I or Class II Ozone Depleting Chemicals

03130 16 oz. 12/cs



▲This product is very flammable. Do not apply while equipment is energized.



# lubricants & penetrants



**CRC**

## FREEZE-OFF® SUPER PENETRANT ▲

Immediately drops the temperature of the area in direct contact with the spray. The freezing effect cracks rusted surfaces, allowing the lubricating solvent to penetrate faster and work more effectively than other penetrant products. Low VOC formula.

05002 11.5 oz. 12/cs



**CRC**

## HEAVY DUTY SILICONE LUBRICANT ▲

Clear, non-staining film lubricates metal, rubber, nylon and wood to eliminate squeaks and binding caused by friction. Water resistant film perfect for applications exposed to the elements.

Low VOC formula.

05074 7.5 oz. 12/cs  
05174 11 oz. 12/cs



**CRC**

## POWER LUBE® MULTI-PURPOSE LUBRICANT

All-in-one product quickly cleans, penetrates, lubricates, and protects against corrosion. Stops squeals and loosens rusted parts. Clings to surface to deliver long lasting lubrication with less mess. Displaces moisture. Pleasant scent.

05005 9 oz. 12/cs  
05006 11 oz. 12/cs  
05007 1 gallon 4/cs  
05009 5 gallon 1 pail  
05011 55 gallon 1 drum



**CRC**

## WHITE LITHIUM GREASE ▲

A high purity, NLGI Grade 2 white lithium grease. Excellent water and heat resistance for use in any weather or temperature. Makes surfaces friction resistant and protects against corrosion. Ideal for metal to metal applications. Will not break down or run out.

05037 10 oz. 12/cs



**CRC**

## ULTRA SCREWLOOSE® SUPER PENETRANT ▲

Super-fast, powerful, concentrated penetrating solvent. Attacks and penetrates tough rust, gum and corrosion on contact to free corroded fasteners and mechanical components.

05330 11 oz. 12/cs



**CRC**

## CHAIN LUBE ▲

Advanced, high-performance, synthetic lubricant providing excellent protection for chains, open gears and exposed metal surfaces subject to severe loading. Sprays on like a liquid to penetrate deep, sets up like a grease for outstanding load-bearing protection. Restricted from sale in CA.

05012 10 oz. 12/cs



**CRC**


## INNER SLIDE LUBE ▲

Lubricates and increases slide motion, extending forklift equipment life in automotive, heavy duty, farm, industrial, marine and shop applications. Fortified with molybdenum disulfide and extreme pressure additives to resist pound-out and prevent destructive metal-to-metal contact. Designed for forklift inner slide rails.

05305 10 oz. 12/cs

## Production

Our U.S. manufacturing facility is located at our headquarters in Warminster, Pennsylvania. CRC houses state-of-the-art high-speed aerosol lines and multiple liquid filling lines for precise and efficient mass production. As an ISO-9001:2008 certified manufacturer, CRC places strict controls on every step of our product development and manufacturing process to ensure consistent, quality manufacturing techniques.



## Shipping & Warehouse


Our shipping warehouse features barcode scanning of all finished goods inventory and orders, contributing to our exceptional 99.4% order shipment accuracy. Our experienced personnel will pick, wrap and ship your orders in less than 72 hours. CRC shipping procedures comply with all DOT, IMCO and IATA regulations.



▲ This product is very flammable. Do not apply while equipment is energized.



# cleaners & degreasers



**CRC**

## ENGINE DEGREASER

Quickly dissolves and lifts off oil, grease and road grime from engines for cooler, more efficient running. Easy to use: spray on and rinse off. Leaves no residue.

05025 15 oz. 12/cs  
05025CA 15 oz. 12/cs



**CRC**

## ENGINE DEGREASER GEL FORMULA

Penetrates and removes the most stubborn baked on engine greases and road grimes. Unique formula clings to all surfaces longer and penetrates deeper than conventional engine degreasers. Low VOC formula.

05026 15 oz. 12/cs



**CRC**

## ENGINE DEGREASER CITRUS FORMULA

Powerful citrus cleaning formula dissolves and lifts off the toughest grease and road grime. Low VOC formula.

05027 15 oz. 12/cs



**CRC**

## QC-82™ PRO-STRENGTH DEGREASER

Foaming water-based degreaser breaks down and dissolves grease, grime, oil, rubber marks and other oil-based contaminants. This formula was developed without free alkali, ammonia or caustics resulting in a mild pH, so it's safe on painted surfaces, plastics, vinyl and rubber. Cleans instantly, dries fast and leaves no residue.

05482 15 oz. 12/cs



**CRC**

## CLEAN-R-CARB™ CARBURETOR CLEANER ▲

Instantly dissolves deposits on venturi, linkages, butterflies and PCV systems to improve fuel system performance and enhance fuel economy. Harmless to catalytic converters and oxygen sensors.

05079 12 oz. 12/cs  
05081 16 oz. 12/cs

50-State Formula. Meets ALL state and federal VOC regulations.

05379 12 oz. 12/cs  
05381 16 oz. 12/cs



**KW**

## TECHNICIAN GRADE CARBURETOR & CHOKE CLEANER ▲

SHOP SIZE, professional strength cleaner designed to maximize carburetor performance. Quickly dissolves carburetor deposits such as gum, sludge and varnish to improve fuel system performance and enhance fuel economy.

401924 19 oz. 12/cs



**CRC**

## LECTRA-MOTIVE® ELECTRIC PARTS CLEANER

Aggressive cleaner specifically for energized electrical equipment. Non-flammable formula dissolves grease, oil, dirt and wax that may cause electrical failure. Evaporates quickly leaving no residue behind. Do not use to clean plastic or sensitive electronic components, use 05103 QD® Electronic Cleaner instead.

05018 19 oz. 12/cs  
05019 1 gallon 4/cs  
05024 55 gallon 1



**CRC**

## THROTTLE BODY & AIR-INTAKE CLEANER ▲

Cleans air-intakes, throttle valves, throttle bodies and linkages on fuel-injected gasoline engines (both throttle body and multi-port). Safe for use on coated throttle bodies. Low VOC formula.

05078 12 oz. 12/cs  
05678 5 oz. 12/cs



**CRC**

## MASS AIR FLOW SENSOR CLEANER ▲

The original MAF sensor cleaner. Safely cleans and protects MAF sensors. Dyno proven to increase horsepower and improve air/fuel ratio. Reduces rough idle, hesitation and ping. Improves fuel mileage. Plastic safe, leaves no residue.

05110 11 oz. 12/cs  
05610 4.5 oz. 12/cs



**CRC**

## TYME® 1 CARBURETOR & COLD PARTS CLEANER

Two-phase, water-rinsable, cold tank liquid parts cleaner. Quickly removes carbon, varnish, and grease from aluminum and other metals. Non-corrosive, non-flammable.

14101 1 gallon 4/cs  
14104 5 gallon 1



**CRC**

## PARTS WASHER SOLVENT

Cleaning solvent for metal parts, most plastics, and painted surfaces. Instantly removes grease, oil, dirt, and other contaminants.

05067 5 gallon 1 pail



**CRC**

## LONG HANDLE DIPPING BASKET

13" handle and sturdy basket for hands-free cleaning of a variety of metal parts. For use with Tyme® 1 5 gallon pail or other bulk cleaning agents.

14061 1 unit

▲ This product is very flammable. Do not apply while equipment is energized.



# electrical maintenance



## BATTERY CLEANER WITH ACID INDICATOR

Yellow foaming cleaner instantly detects acid leaks and turns pink upon acid contact. Neutralizes acid and effectively cleans terminals, connectors, cases and hold downs. Penetrates and removes corrosion allowing for maximum current flow.

05023 11 oz. 12/cs  
05623 5 oz. 12/cs



## BATTERY TERMINAL PROTECTOR ▲

Lead-free, long-lasting red film coating. Protects battery terminals, cables and bulkhead connectors from corrosion, a leading cause of hard starting and battery failure.

05046 7.5 oz. 12/cs  
05646 3 oz. 12/cs



## SINGLE USE BATTERY MAINTENANCE TWIN PACK ▲

CRC Battery Cleaner instantly detects leaks and neutralizes acid. Removes corrosion by-products. Just spray on and rinse off. CRC Battery Terminal Protector is specially designed to protect battery terminals from corrosion, a leading cause of hard starting and battery failure.

05647 1 - 5 oz. 6/cs  
1 - 3 oz.



## LECTRA-MOTIVE® ELECTRIC PARTS CLEANER

Aggressive cleaner specifically for energized electrical equipment. Non-flammable formula dissolves grease, oil, dirt and wax that may cause electrical failure. Evaporates quickly leaving no residue behind. Do not use to clean plastic or sensitive electronic components, use 05103 QD® Electronic Cleaner instead.

05018 19 oz. 12/cs  
05019 1 gallon 4/cs  
05024 55 gallon 1



## QD® ELECTRONIC CLEANER QUICK DRY CLEANER ▲

Instantly penetrates hard-to-reach areas to safely dissolve dirt and debris from sensitive electronic components. Cleans contacts, connectors and sensitive electronic equipment. Helps prevent contact failure. Quick drying, plastic safe formula leaves no residue.

05103 11 oz. 12/cs  
05101 4.5 oz. 12/cs



## MASS AIR FLOW SENSOR CLEANER ▲

The original MAF sensor cleaner. Safely cleans and protects MAF sensors. Dyno proven to increase horsepower and improve air/fuel ratio. Reduces rough idle, hesitation and pinging. Improves fuel mileage. Plastic safe, leaves no residue.

05110 11 oz. 12/cs  
05610 4.5 oz. 12/cs



## WIRE DRYER

Starts wet engines and instantly drives out moisture that can cause electrical failure and hard starting. Weatherproofs all electrical system parts. Waterproof film leaves a fine protective coating on ignition and electrical systems. Reduces wear and ensures proper electrical current flow.

05104 6 oz. 12/cs



## TECHNICIAN GRADE DI-ELECTRIC GREASE/ BULB & CONNECTOR GREASE

Seals, protects and insulates. Maintains optimum electrical connections in extreme conditions. Patented delivery system is great for hard-to-reach places.

05105 3.3 oz. can 12/cs  
05107 .28 oz. card 12/cs  
05109 .5 oz. tube 12/cs



## VISICLEAR™ DISPLAY CLEANER & ELECTRONIC SCREEN CLEANER

Streak-free foam cleaner clings, won't drip, and is alcohol and ammonia free. Will not damage screen protective coatings. Use on plasma/LCD displays, touch-screens, computers, cell phones and PDAs, GPS screens and CRT monitors. Leaves no residue and dries fast.

05131 6.9 oz. 12/cs



## DUSTER™ MOISTURE-FREE DUST & LINT REMOVER

Quickly and safely blasts away dirt, dust, lint and other contaminants from any surface. Ideal for sensitive electronics. Penetrates hard-to-reach cracks and crevices that normal hand-dusting cannot reach.

05185 8 oz. 12/cs



▲ This product is very flammable. Do not apply while equipment is energized.



# fuel system maintenance

## Product Development & Quality Control

CRC has 17 chemists and technicians working to develop the best formulas with superior product performance. We use only the finest raw materials, and our Quality Control team tests each component to ensure they meet specifications.



## Regulatory

CRC constantly monitors the federal, state and regional regulations that affect our products and our customers' marketplace. Our regulatory department works directly with legislators to ensure regulations are scientifically sound and commercially viable.



**CRC**

## MASS AIR FLOW SENSOR CLEANER ▲

The *original* MAF sensor cleaner. Safely cleans and protects MAF sensors. Dyno proven to increase horsepower and improve air/fuel ratio. Reduces rough idle, hesitation and pinging. Improves fuel mileage. Plastic safe, leaves no residue.

05110	11 oz.	12/cs
05610	4.5 oz.	12/cs



**CRC**

## THROTTLE BODY & AIR-INTAKE CLEANER ▲

Cleans air-intakes, throttle valves, throttle bodies and linkages on fuel-injected gasoline engines (both throttle body and multi-port). Safe for use on coated throttle bodies. Low VOC formula.

05078	12 oz.	12/cs
05678	5 oz.	12/cs



**CRC**

## MOTOR TREATMENT

Cleans gum, varnish and carbon from the fuel system, injectors, pistons, and combustion chamber. Removes moisture from fuel and oil systems and lubricates engine components. For use in gasoline, diesel, ethanol and oil. Pour into fuel system, induce directly into combustion chamber via main manifold vacuum line and add to crankcase.

05316	16 fl. oz.	12/cs
-------	------------	-------



**CRC**

## CLEAN-R-CARB™ CARBURETOR CLEANER ▲

Instantly dissolves deposits on venturi, linkages, butterflies and PCV systems to improve fuel system performance and enhance fuel economy. Harmless to catalytic converters and oxygen sensors.

05079	12 oz.	12/cs
05081	16 oz.	12/cs

50-State Formula. Meets ALL state and federal VOC regulations.

05379	12 oz.	12/cs
05381	16 oz.	12/cs



**CRC**

## JUMP START® STARTING FLUID WITH LUBRICITY ▲

Improves cold or humid starts on gasoline or diesel engines. Effective to -65°F.

05671	11 oz.	12/cs
-------	--------	-------



**CRC**

## TYME® 1 CARBURETOR & COLD PARTS CLEANER

Two-phase, water-rinsable, cold tank liquid parts cleaner. Quickly removes carbon, varnish, and grease from aluminum and other metals. Non-corrosive, non-flammable.

14101	1 gallon	4/cs
14104	5 gallon	1



▲ This product is very flammable. Do not apply while equipment is energized.



# corrosion inhibitors/protectants



**CRC**

## RUBBERIZED UNDERCOATING ▲

Provides a bubble-free, flexible shield against moisture, salt and road debris. Deadens outside road noise and will not crack or peel. Low VOC formula.

05347 16 oz. 12/cs



**CRC**

## BATTERY TERMINAL PROTECTOR ▲

Lead-free, long-lasting red film coating. Protects battery terminals, cables and bulkhead connectors from corrosion, a leading cause of hard starting and battery failure.

05046 7.5 oz. 12/cs  
05646 3 oz. 12/cs



**CRC**

## BELT CONDITIONER ▲

Eliminates noise and extends belt life. For use on all types of belts, such as serpentine, flat and v-type belts. Prevents slippage and glazing. Removes oil, grease and glaze. Use every 4,000 miles to prevent drying out and slippage.

05350 7.5 oz. 12/cs



**CRC**

## RUST CONVERTER

Fast-drying milky-white vinyl/acrylic coating stops rust in its tracks. Neutralizes rust and converts it to a tough primer in one easy step. Apply to any rusted metal surface. Non-flammable and contains no known carcinogens like other competitive products.

14610 15 oz. 12/cs  
18418 32 fl. oz. 12/cs  
18419 gallon 4/cs



**CRC**

## ZINC-IT® INSTANT COLD GALVANIZE

Forms a tough, 93% pure zinc coating to fight rust and corrosion. Provides protection of hot dip galvanize with on-the-job convenience. Leaves a flat gray paintable finish on surfaces.

05048 13 oz. 12/cs ▲  
18413 1 gallon 1



**CRC**

## POWER LUBE® MULTI-PURPOSE LUBRICANT

All-in-one product quickly cleans, penetrates, lubricates, and protects against corrosion. Stops squeals and loosens rusted parts. Clings to surface to deliver long lasting lubrication with less mess. Displaces moisture. Pleasant scent.

05005 9 oz. 12/cs  
05006 11 oz. 12/cs  
05007 1 gallon 4/cs  
05009 5 gallon 1 pail  
05011 55 gallon 1 drum





**CRC**

## WIRE DRYER

Starts wet engines and instantly drives out moisture that can cause electrical failure and hard starting. Weatherproofs all electrical system parts. Waterproof film leaves a fine protective coating on ignition and electrical systems. Reduces wear and ensures proper electrical current flow.

05104 6 oz. 12/cs



## Customer Service & Technical Support

13 dedicated customer service reps provide 100% live help, prompt order turnaround and a proven 99.8% order accuracy rate. Automated EDI processing enables the expediting and tracking of orders from our door to yours. Our toll-free technical support line handles more than 11,000 calls per year to answer questions about the usage and safe handling of CRC products.



## Sales & Marketing

Our team of experts has more than 250 years of combined experience to support your business and help you enhance your customer relationships.

▲ This product is very flammable. Do not apply while equipment is energized.





## NEW GENERATION™ DISC & DRUM BRAKE WHEEL BEARING GREASE

Meets late-model high-tech specifications. NLGI-2 GC-LB lithium complex base. Wide temperature range of -40°F to 325°F. Use on late-model wheel bearings, chassis and suspension points.

SL3110	14 oz. cartridge	10/cs
SL3111	14 oz. can	12/cs



## MARINE GREASE BOAT TRAILER AND 4X4 GREASE

Excellent water resistance. NLGI-2 aluminum complex base for 4WD and boat trailer wheel bearings. Drop point: 500°F.

SL3120	14 oz. cartridge	10/cs
SL3121	14 oz. can	12/cs
SL3125	35 lb. pail	1
SL3127	120 lb. keg	1
SL3184	3 oz./3 per card	6/cs



## HEAVY-DUTY DRUM BRAKE WHEEL BEARING GREASE

For drum brakes and slow speed bearings. NLGI-2.5 sodium base. Ideal for use where heavy loads and slow speeds are prevalent.

Drop point: 360°F.

SL3131	14 oz. can	12/cs
SL3135	35 lb. pail	1
SL3136	7 lb. tub	1



## MOLY-GRAPH® EXTREME PRESSURE GREASE

Molybdenum and graphite establish a fine micron plating on all surfaces. Lithium base NLGI-2 grease with drop point of 350°F. Great for use on ball joints, chassis points, bushings and roller bearings.

SL3330	14 oz. cartridge	10/cs
SL3141	14 oz. can	12/cs
SL3144	3 oz./3 per card	6/cs
SL3145	35 lb. pail	1
SL3146	7 lb. tub	4/cs



## SUPER WHITE™ MULTI-PURPOSE GREASE

Contains anti-wear and anti-friction additives. Lithium base NLGI-1.5 grease with drop point of 350°F. Perfect for light duty applications where appearance matters.

SL3150	14 oz. cartridge	10/cs
SL3151	14 oz. can	12/cs
SL3360	10 oz. tube	6/cs
SL3361	1.75 oz. tube	24/cs
SL3155	35 lb. pail	1



## HI-TEMP DISC BRAKE WHEEL BEARING GREASE

For high temperature, high speed bearings. NLGI-2 aluminum complex base. For use on disc brake systems, chassis points and suspension systems. Drop point: 500°F.

SL3160	14 oz. cartridge	10/cs
SL3161	14 oz. can	12/cs
SL3165	35 lb. pail	1
SL3166	7 lb. pail	4/cs



## STA-PLEX™ EXTREME PRESSURE PREMIUM RED GREASE

A superior multi-purpose certified lithium complex based NLGI-2 GC-LB grease. Contains extreme pressure, anti-wear, and anti-oxidation additives. Ideal for high temperature and performance applications. Drop point: 500°F.

SL3190	14 oz. cartridge	10/cs
SL3191	14 oz. can	12/cs
SL3195	35 lb. pail	1
SL3197	120 lb. keg	1



## RED GREASE #2

Smooth, tacky, red lithium complex grease fortified with rust and oxidation inhibitors. Good water resistance, won't wash out. Great for sliding surfaces and open gears and for lubricating moving parts in mowers, reapers, water pumps, electric motors, ball and roller bearings, kilns, assembly plants, and truck applications.

SL3400	14 oz. cartridge	10/cs
--------	------------------	-------



## GENERAL PURPOSE LITHIUM GREASE

Lithium base NLGI-2 grease designed for light duty applications. Use on motor bearings, pump bearings and light duty applications.

Drop point: 350°F.

SL3310	14 oz. cartridge	10/cs
SL3311	14 oz. can	12/cs
SL3315	35 lb. pail	1
SL3317	120 lb. keg	1



## EXTREME PRESSURE ENGINE ASSEMBLY LUBE AND ANTI-SEIZE

Prevents friction, galling and wear on all types of engine components during assembly, start-up and break-in periods.

SL3331	10 oz. tube	6/cs
SL3333	2.75 oz. tube	12/cs



## SILARAMIC® BRAKE SYSTEM GREASE

Protects all moving caliper hardware, mating surfaces and backing plates with the latest rust, oxidation and anti-wear additives to provide lasting protection against friction, wear and corrosion. Ideal for high performance or racing applications.

05361	5 oz.	12/cs
05363	9 oz. tub	12/cs



## SYNTHETIC BRAKE & CALIPER GREASE

Synthetic grease prevents caliper binding, vibration and corrosion. Contains molybdenum, PTFE and graphite for an extreme temperature range of -40°F to 400°F. Use on every brake job!

05351	2.5 oz. tube	6/cs
05352	1/3 oz. carded packets	12/cs
05353	12 oz. tub	12/cs
05359	8 fl. oz. bottle	6/cs
SL3301	2.5 oz. tube	6/cs
SL3302	1/3 oz. carded packets	12/cs
SL3303	12 oz. tub	12/cs



Product	Grease Type	NLGI Grade	Color	Operating Temperature Constant (Application Dependent)	Water Resistance	4 Ball Weld (Kg)	Timken OK Load	Additives
Sta-Lube® New Generation™ Wheel Bearing Grease for Disc and Drum Brakes	Lithium Complex	2	Amber	-40°F to 325°F	Very Good	250	50 lbs.	Extreme Pressure, Anti-Wear, Anti-Rust, Tackifier
Sta-Lube® Marine Grease for Boat Trailer Wheel Bearings	Aluminum Complex	2	Blue	0°F to 325°F	Excellent	NA	ND	Anti-Rust, Polymer Adhesives
Sta-Lube® Heavy Duty Drum Brake Wheel Bearing Grease	Sodium	2.5	Dark Amber	10°F to 250°F	Poor	NA	ND	Anti-Oxidant
Sta-Lube® Moly-Graph® Extreme Pressure Multi-Purpose Lithium Grease	Lithium	2	Dark Gray	-25°F to 250°F	Very Good	250	45 lbs.	Extreme Pressure, Molybdenum Disulfide, Anti-Wear, Anti-Rust, Anti-Oxidant
Sta-Lube® Super White Multi-Purpose Grease	Lithium	1.5	White	0°F to 300°F	Good	NA	25 lbs.	Whitening Agents, Anti-Rust, Anti-Oxidant, Anti-Wear
Sta-Lube® Hi-Temp Disc Brake Wheel Bearing Grease	Aluminum Complex	2	Dark Gray	0°F to 325°F	Excellent	315	60 lbs.	Rust and Oxidation Inhibitors, Anti-Wear, Extreme Pressure, Molybdenum Disulfide, Graphite
Sta-Lube® Sta-Plex™ Premium Red Grease	Lithium Complex	2	Red	-20°F to 325°F	Excellent	500	60 lbs.	Extreme Pressure, Anti-Wear, Anti-Rust, Anti-Oxidant, Tackifier
Sta-Lube® Red Grease #2	Lithium Complex	2	Red	-10°F to 325°F	Very Good	250	60 lbs.	Extreme Pressure, Anti-Rust, Anti-Oxidant
Sta-Lube® Lithium General Purpose Grease	Lithium	2	Amber	0°F to 250°F	Very Good	NA	ND	NA
Sta-Lube® Engine Assembly Lube and Anti-Seize	Lithium	0.5	Dark Gray	0°F to 250°F	Good	NA	ND	Extreme Pressure Molybdenum Disulfide, Anti-Wear, Anti-Rust, Anti-Oxidant, Tackifier
Sta-Lube® Synthetic Brake & Caliper Grease	Silica	1.5	Black	-40°F to 400°F	Very Good	315	50 lbs.	Extreme Pressure, PTFE
CRC® Silaramic® Brake System Grease	Silicone	2	Silver	-50°F to 550°F	Excellent	NA	NA	Ceramics, Extreme Pressure, Corrosion & Oxidation Inhibitors

NA = Not Applicable ND = Not Determined

## grease equipment



### HEAVY DUTY LEVER GREASE GUN

3-way easy loading for standard 14 oz cartridges. Provides 10,000 lbs of pressure. Short stroke feature for confined areas. Sure-grip knurled barrel. Heavy duty thick wall steel construction.

SL37019 1 unit



### GREASE GUN FLEXIBLE HOSE 12"

For use with Sta-Lube Grease Gun #SL37019.

SL46022 10/cs





# gear oil

## GL-4 MULTI-PURPOSE GEAR OIL SAE 140

High quality gear oils with anti-rust, anti-oxidation and extreme pressure additives for maximum lubrication and protection.

SL24228	32 fl. oz.	12/cs
SL24238	1 gallon	4/cs
SL24258	5 gallon	1

## GL-4 MULTI-PURPOSE GEAR OIL 85W90

High quality gear oils with anti-rust, anti-oxidation and extreme pressure additives for maximum lubrication and protection.

SL24229	32 fl. oz.	12/cs
SL24239	1 gallon	4/cs
SL24259	5 gallon	1

## FLUID OIL PUMP

Constructed of durable PVC plastic. For all fluid reservoirs including differentials, transmissions and gear cases.

Dispenses 1 fl oz of product with each depression. Designed to fit all Sta-Lube quart, half-gallon and gallon containers.

SL4344 6/cs



## GL-5 PLUS NEW GENERATION™ HEAVY DUTY LIMITED SLIP GEAR OIL SAE 85W140

Excellent for use where seasonal temperatures fluctuate widely. Minimum viscosity change during service. Superior performance in extreme pressure and high load conditions.

SL2432	32 fl. oz.	12/cs
SL2433	1 gallon	4/cs
SL2435	5 gallon	1

## GL-5 PLUS NEW GENERATION™ HEAVY DUTY LIMITED SLIP GEAR OIL SAE 75W90

Protects against corrosion, seal damage, oxidation and wear. Provides better protection and extended drain intervals. Provides protection under both high speed/low torque and low speed/high torque conditions.

SL2462	32 fl. oz.	12/cs
SL2463	1 gallon	4/cs

## GL-5 PLUS NEW GENERATION™ LIMITED SLIP GEAR OIL SAE 80W90

Thermally stable, high-quality, multi-purpose automotive and truck lubricant with extreme pressure properties. Especially suited for use in high performance differentials. Contains rust and corrosion inhibitors.

SL2472	32 fl. oz.	12/cs
SL2473	1 gallon	4/cs
SL2475	5 gallon	1
SL2479	55 gallon*	1

## SYN-GO® MULTI-GRADE FULL SYNTHETIC GEAR OILS

High quality fully synthetic gear oils developed for daily and extreme use applications. Available in OEM Grade/Extended Service and Multi-Grade formulations. 75W140 OEM Grade meets and exceeds many OEM, military and SAE specs and lasts up to two times as long as conventional gear oils. Multi-Grade gear oils cover seven viscosity grades and also meet and/or exceed many OEM specs.

### Multi-Grade SAE 75W90

SL2482	32 fl. oz.	6/cs
--------	------------	------

### Multi-Grade SAE 75W140

SL2492	32 fl. oz.	6/cs
--------	------------	------

### OEM/Extended Interval 75W140

SL2495	32 fl. oz.	6/cs
SL2496	64 fl. oz.	4/cs



Product	SAE Number	VIS @ 40°C/104°F CST	VIS @ 100°C/212°F CST	Base	AGMA
Sta-Lube® GL-4 Multi-Purpose Gear Oil	85W90	200	17	Mineral Oil	5 EP USS 224
Sta-Lube® GL-4 Multi-Purpose Gear Oil	140	400	28	Mineral Oil	8 EP USS 224
Sta-Lube® GL-5 Plus New Generation™ Heavy Duty Gear Oil with Limited Slip	85W140	345	26	Mineral Oil	7 EP
Sta-Lube® GL-5 Plus New Generation™ Heavy Duty Gear Oil with Limited Slip	75W90	110	17	Mineral Oil	6 EP
Sta-Lube® GL-5 Plus New Generation™ Heavy Duty Gear Oil with Limited Slip	80W90	136	15	Mineral Oil	4 EP
Sta-Lube® Syn-Go® Synthetic Gear Oil	75W140	156	25	Synthetic Fluid	5 EP

\*Made to order, call for information.



# cutting oil & shop supplies



## COMPRESSOR OIL SAE 30

Solvent refined and clay filtered for long-lasting, anti-foul operation. A conventional oil.

SL22131	32 fl. oz.	12/cs
SL22133	1 gallon	4/cs



## SOLUBLE OIL

Improves cleaning and lubrication during metal cutting and grinding.

SL2512	32 fl. oz.	12/cs
SL2513	1 gallon	4/cs
SL2515	5 gallon	1



## CUTTING OIL

Reduces heat and friction to ease cutting and increase cutting tool life. Foaming aerosol formulation clings to vertical surfaces. Sulfur-free, low odor formula.

14050	16 oz.	12/cs
-------	--------	-------



## AIR TOOL OIL SAE 10

Lubricates and protects air tools. Reduces rust, varnish and sludge.

SL2531	15 fl. oz.	12/cs
SL2533	1 gallon	4/cs



## HONING & CUTTING OIL

Reduces heat and friction to ease cutting and extend tool life.

SL2523	1 gallon	4/cs
--------	----------	------



## BAR & CHAIN LUBRICANT

Reduces wear and friction. Remains fluid in cold temperatures.

SL2612	32 fl. oz.	12/cs
--------	------------	-------



## POWER STEERING FLUID

Meets specs of Ford, GM, and most import manufacturers.

SL2631	15 fl. oz.	12/cs
SL2633	1 gallon	4/cs



## HYDRAULIC & JACK OIL SAE 20

Prevents foaming, rust, oxidation and seal swell.

SL2621	15 fl. oz.	12/cs
SL2552	32 fl. oz.	12/cs
SL2553	1 gallon	4/cs
SL2555	5 gallon	1



## EXTREME PRESSURE ENGINE ASSEMBLY LUBE AND ANTI-SEIZE

Prevents friction, galling and wear on all types of engine components during assembly, start-up and break-in periods.

SL3331	10 oz. tube	6/cs
SL3333	2.75 oz. tube	12/cs





# winter & specialty products

**CRC**

## MAGIC OIL™ LOCK LUBE & DE-ICER ▲

Small enough to fit anywhere from glove boxes and desk drawers to toolboxes. Stops squeaks, frees frozen or seized locks and mechanisms, protects against corrosion, loosens rusted parts. Provides long-lasting lubrication without leaving a sticky residue.

05130 0.4 oz. (24 pk) 4/cs



**CRC**

## JUMP START® STARTING FLUID WITH LUBRICITY ▲

Improves cold or humid starts on gasoline or diesel engines. Effective to -65°F.

05671 11 oz. 12/cs



**CRC**

## ICE-OFF® SPRAY DE-ICER ▲

Melts ice, snow and frost from windshields on contact. Thaws frozen locks and is effective to sub-zero temperatures.

05346 12 oz. 12/cs



**CRC**

## BATTERY TERMINAL PROTECTOR ▲

Lead-free, long-lasting red film coating. Protects battery terminals, cables and bulkhead connectors from corrosion, a leading cause of hard starting and battery failure.

05046 7.5 oz. 12/cs  
05646 3 oz. 12/cs



**CRC**

## CHAIN LUBE ▲

Advanced, high-performance, synthetic lubricant providing excellent protection for chains, open gears and exposed metal surfaces subject to severe loading. Sprays on like a liquid to penetrate deep, sets up like a grease for outstanding load-bearing protection. Restricted for sale in CA.

05012 10 oz. 12/cs



**CRC**

## INNER SLIDE LUBE ▲

Lubricates and increases slide motion, extending forklift equipment life in automotive, heavy duty, farm, industrial, marine and shop applications. Fortified with molybdenum disulfide and extreme pressure additives to resist pound-out and prevent destructive metal-to-metal contact. Designed for forklift inner slide rails.

05305 10 oz. 12/cs



**CRC**

## TECHNICIAN GRADE GASKET REMOVER

Fast-acting formula. Quickly removes gasket cement, sealers and paint. Eliminates excessive scraping and cleaning.

05021 12 oz. 12/cs



**CRC**

## ZINC-IT® INSTANT COLD GALVANIZE

Forms a tough, 93% pure zinc coating to fight rust and corrosion. Provides protection of hot dip galvanize with on-the-job convenience. Leaves a flat gray paintable finish on surfaces.

05048 13 oz. 12/cs ▲  
18413 1 gallon 1



**CRC**

## WASP & HORNET KILLER PLUS™ INSECTICIDE

Fast acting, high strength insecticide kills wasps, hornets, bees and other stinging insects on contact. Ergonomic trigger provides control. Kills on contact from 20 feet away. Plastic safe formula.

14010 14 oz. 12/cs



**CRC**

## RTV SILICONE ADHESIVE & SEALANT

Pressurized tubes:

14055 Clear 7.25 oz. 12/cs  
14056 White 7.25 oz. 12/cs  
14057 Blue 7.25 oz. 12/cs  
14059 Red 8.75 oz. 12/cs  
14072 Black 8.75 oz. 12/cs

Caulk-type cartridges:

14073 Clear 10.1 fl. oz. 12/cs  
14074 White 10.1 fl. oz. 12/cs  
14075 Red 10.1 fl. oz. 12/cs



**CRC**

## MINUTE MEND™ EPOXY PUTTY

Use for patching or repairing wood, metal, fiberglass and plastic. Bonds to wet or dry surfaces, even under water. Ready to use in less than one minute. Can be tapped, sawed, drilled, stained or painted.

14070 4 oz. 24/cs  
14071 2 oz. 40/cs



**CRC**

## RTV CARTRIDGE GUN

For use with CRC RTV Silicone Cartridges. A high quality, parallel frame, hex rod caulk gun with an easy-to-dispense 10:1 thrust ratio.

14054 12/cs



▲ This product is very flammable. Do not apply while equipment is energized.

# interiors/appearance products



**CRC**

## GLASS & DASH™ CLEANER

Cleans glass, mirrors, acrylic, and clear plastic without leaving a film or streaks.

05401 18 oz. 12/cs



**CRC**

## HYDROFORCE® GLASS CLEANER PROFESSIONAL STRENGTH

Quickly cuts through the toughest dirt, dust, fingerprints and haze without streaking. Foaming agent provides greater coverage and less run-off on vertical surfaces.

14411	32 fl. oz. trigger	12/cs
14412	18 oz. aerosol	12/cs
14413	1 gallon	4/cs
14427	55 gallon*	1



**CRC**

## HYDROFORCE® STAINLESS STEEL CLEANER & POLISH

Exclusive ultra shine formula. Eliminates dirt, dust, fingerprints and watermarks. Leaves behind a non-greasy protective barrier to resist return of stains and water spots.

14424 18 oz. 12/cs



**CRC**

## DUSTER™ MOISTURE-FREE DUST & LINT REMOVER

Quickly and safely blasts away dirt, dust, lint and other contaminants from any surface. Ideal for sensitive electronics. Penetrates hard-to-reach cracks and crevices that normal hand-dusting cannot reach.

05185 8 oz. 12/cs



**CRC**

## VISCLEAR™ DISPLAY CLEANER & ELECTRONIC SCREEN CLEANER

Streak-free foam cleaner clings, won't drip, and is alcohol and ammonia free. Will not damage screen protective coatings. Use on plasma/LCD displays, touchscreens, computers, cell phones and PDAs, GPS screens and CRT monitors. Leaves no residue and dries fast.


05131 6.9 oz. 12/cs



## TANNERY® LEATHER, VINYL & MORE... ALL-IN-ONE CLEANER & CONDITIONER

Cleans, conditions, protects and preserves leather, vinyl, rubber, plastic, trim and fiberglass. Helps guard against harmful sunlight and extreme temperature.


40138	8 fl. oz.	12/cs
40173	10 oz.	12/cs



## TANNERY® VINTAGE™ LEATHER CLEANER & CONDITIONER

Cream leather cleaner and conditioner with aloe vera and glycerin to help hydrate leather, making it supple and smooth. Prevents drying and cracking due to sunlight and extreme weather.

40144 10 oz. 12/cs



## hand cleaners

**CRC**

## LANOLIN CREAM HAND CLEANER

Hand soap. Removes grease, carbon, paints, tar, gasket cement and more. Fortified with lanolin, aloe vera, vitamin E, jojoba and wheat germ extract.

SL1211 14 oz. can 12/cs



**CRC**

## PUMICE HAND CLEANER WITH LEMON SCENT

Contains buffing grade pumice for deep scrubbing action plus lanolin to protect your skin.

SL1621 14 oz. can 12/cs



**CRC**

## MECHANIX ORANGE™ CITRUS HAND CLEANER WITH PUMICE

Formulated with the natural power of citrus. Fine grade pumice quickly cleans away the toughest soils. pH balanced to be gentle on hands. Leaves hands fresh.

SL1712	16 fl. oz.	12/cs
SL1719	1 gal. w/pump	4/cs



\*Made to order, call for information.